



Bay Architects
 18201 Gulf Freeway
 Post Office Box 891209
 Houston, Texas 77289
 Tel 281.286.6605
 Fax 281.286.9606

ADDENDUM NO. 05
 August 6, 2010

Project: Package D Channelview High School Band Hall and Field House Additions

Prepared by: Bay Architects, Inc.
 18201 Gulf Freeway
 Webster, Texas 77598
 Post Office Box 891209
 Houston, Texas 77289
 (281) 286-6605



Bay Project No.: 0939

Prepared for: Prospective Proposers

PART A NOTICE TO PROPOSERS

01. Receipt of this Addendum shall be acknowledged on the Proposal Form. Failure to do so may subject Proposers to disqualification. Each Proposer shall make necessary adjustments and submit his proposal with full knowledge of all modifications, clarification, and supplemental data included therein.
02. This Addendum forms part of the Contract Documents and shall be incorporated integrally therewith. Where provisions of the following supplemental data differ from those of previously issued documents, this Addendum shall govern.
03. The following Contract Documents have been issued to date delineating the Work (Project):

Construction Documents	July 9, 2010
Addendum 01	July 26, 2010
Addendum 02	July 27, 2010
Addendum 03	July 29, 2010
Addendum 04	August 5, 2010
04. This Addendum consists of ADD5-1 through ADD5-5

PART B CHANGES TO PRIOR ADDENDA

05. None

PART C CHANGES TO THE PROJECT MANUAL

06. Section AC-2 – Alternate Proposal Form
 - a. Clarification: Alternate drawings on sheets M1.02BH and E2.01BH are to be included in Alternate No. 1.
07. Section 02930 – Hydromulch Seeding
 - a. Article 1.3, revise paragraphs A and B to read as follows:
 - “A. Provide in all disturbed areas of construction, except in areas scheduled to receive sod.
 - B. Re-apply if required”
08. Section 02932 – Sodding

- a. Article 3.2, revise paragraph A to read as follows:
“A. Provide solid sod within six feet of all new construction, including concrete flatwork.”
- 09. Section 08336 – Overhead Coiling Doors
 - a. Article 2.1, Add paragraph E as follows:
“E. Raynor”
- 10. Section 09556 – Wood Dance/Aerobics Floor
 - a. Article 2.1, add paragraphs E and F as follows:
“E. Action Floor System L.L.C.
F AACER”
- 11. Section 10505 – Metal Lockers and Wood Benches
 - a. Article 2.5, delete item 4.:
 - b. Revise item 01 to indicate 48” wide by 24” deep benches.
 - c. Revise item 02 to indicate on ADA/TAS bench in each locker room, as indicated in the drawings.
- 12. Section 10115 – Multimedia Board and Tack Board
 - a. Article 2.1, delete paragraph A, there are no chalkboards in this project.
 - b. Article 2.1, paragraph C, add item 05 as follows:
“05 In music rooms: Provide permanent treble and base staffs.
- 13. Section 11132 – Motorized Electric Projection Screens
 - a. Article 2.2 add the following to item 02.
“wall mounted with manufacturer provided wall brackets.”

PART D

CHANGES TO THE DRAWINGS

“Changes are indicated on the enclosed 8 1/2 x 11 and/or 11” x 17” sheets.”

- 14. None

PART E

NEW ISSUED DRAWING SHEETS

- 15. None

PART F

RE-ISSUED DRAWING SHEETS

- 36. None

END OF ADDENDUM